

Spherical Roller Bearings 232 Series
Dalian JinYu HuaYang Industry Co., Ltd.
Tel: 86 411 84580998 / 66005509 / 86 13610855458
E-mail:hunaiwen@wjybearing.com
Website:www.jyhy-group.com

Bearing No.	Dimensions (mm)			Basic Load		Weight(Kg)
	d	D	B	cr	cor	
23220MB/W33	100	180	60.3	400	570	6.58
23222CA/W33	110	200	69.8	490	720	10.1
23222CC/W33	110	200	69.8	490	720	9.95
23222MB/W33	110	200	69.8	490	720	10.1
23224CA/W33	120	215	76	535	940	12.1
23224CC/W33	120	215	76	535	940	11.8
23224MB/W33	120	215	76	535	940	12.1
23226CA/W33	130	230	80	607	1020	15.9
23226CC/W33	130	230	80	607	1020	15.6
23226MB/W33	130	230	80	607	1020	15.9
23228CA/W33	140	250	88	910	1365	19.7
23228CC/W33	140	250	88	910	1365	19.4
23228MB/W33	140	250	88	910	1365	19.7
23230CA/W33	150	270	96	950	1550	26.6
23230CC/W33	150	270	96	950	1550	26.2
23230MB/W33	150	270	96	950	1550	26.6
23232CA/W33	160	290	104	955	1770	30.2
23232CC/W33	160	290	104	955	1770	30
23232MB/W33	160	290	104	955	1770	30.2
23234CA/W33	170	310	110	1070	1930	38
23234CC/W33	170	310	110	1070	1930	37.5
23234MB/W33	170	310	110	1070	1930	38
23236CA/W33	180	320	112	1160	2130	38.7
23236CC/W33	180	320	112	1160	2130	38.4
23236MB/W33	180	320	112	1160	2130	38.7
23238CA/W33	190	340	120	1290	2400	44.8
23238CC/W33	190	340	120	1290	2400	44.4
23238MB/W33	190	340	120	1290	2400	44.8
23240CA/W33	200	360	128	1360	2530	53.4
23240CC/W33	200	360	128	1360	2530	53.1
23240MB/W33	200	360	128	1360	2530	53.4
23244CA/W33	220	400	144	1720	3200	77.3
23244CC/W33	220	400	144	1720	3200	77

23244MB/W33	220	400	144	1720	3200	77.3
23248CA/W33	240	440	160	2080	3950	102
23248CC/W33	240	440	160	2080	3950	102
23248MB/W33	240	440	160	2080	3950	102
23252CA/W33	260	480	174	2800	4750	141
23252CC/W33	260	480	174	2800	4750	140
23252MB/W33	260	480	174	2800	4750	141
23256CA/W33	280	500	176	2580	5100	147
23256CC/W33	280	500	176	2580	5100	146
23256MB/W33	280	500	176	2580	5100	147
23260CA/W33	300	540	192	3300	5600	192
23260CC/W33	300	540	192	3300	5600	191
23260MB/W33	300	540	192	3300	5600	192
23264CA/W33	320	580	208	3900	6800	253
23264CC/W33	320	580	208	3900	6800	252
23264MB/W33	320	580	208	3900	6800	253
23268CA/W33	340	620	224	4450	8000	300
23268MB/W33	340	620	224	4450	8000	300
23272CA/W33	360	650	232	4650	8300	345
23272MB/W33	360	650	232	4650	8300	330
23276CA/W33	380	680	240	5200	9500	380
23276MB/W33	380	680	240	5200	9500	380
23280CA/W33	400	720	256	6150	11300	453
23280MB/W33	400	720	256	6150	11300	453
23284CA/W33	420	760	272	5610	11900	550
23284MB/W33	420	760	272	5610	11900	550
23288CA/W33	440	790	280	6900	12800	613
23288MB/W33	440	790	280	6900	12800	612
23292CA/W33	460	830	296	7350	13500	698
23292MB/W33	460	830	296	7350	13500	698
23296CA/W33	480	870	310	6750	15200	853
23296MB/W33	480	870	310	6750	15200	853
232/500CA/W33	500	920	336	8600	18600	985
232/500MB/W33	500	920	336	8600	18600	985
232/530CA/W33	530	980	335	10100	18800	1170
232/530MB/W33	530	980	335	10100	18800	1170
232/560CA/W33	560	1030	365	10900	20500	1320
232/560MB/W33	560	1030	365	10900	20500	1320
232/600CA/W33	600	1090	388	12700	24900	1590
232/630CA/W33	630	1150	412	13400	25600	1850
232/670CA/W33	670	1220	438	14900	28700	2210
232/710CA/W33	710	1280	450	15700	30500	2210

232/750CA/W33	750	1360	475	17700	35500	3109
232/800 CA/W33	800	1420	488	20300	41000	3415
232/850 CA/W33	850	1500	515	22300	45500	3920