

Spherical Roller Bearings 241 Series
Dalian JinYu HuaYang Industry Co., Ltd.
Tel: 86 411 84580998 / 66005509 / 86 13610855458
E-mail:hunaiwen@wjybearing.com
Website:www.jyhy-group.com

Bearing No.	Dimensions (mm)			Basic Load		Weight(Kg)
	d	D	B	cr	cor	
24122CC/W33	110	180	69	425	750	6.72
24122MB/W33	110	180	69	425	750	6.92
24124CA/W33	120	200	80	495	925	10.6
24124CC/W33	120	200	80	495	925	10.2
24124MB/W33	120	200	80	495	925	10.6
24126CA/W33	130	210	80	598	910	11
24126CC/W33	130	210	80	598	910	10.8
24126MB/W33	130	210	80	598	910	11
24128CA/W33	140	225	85	580	1150	13.5
24128CC/W33	140	225	85	580	1150	13.1
24128MB/W33	140	225	85	580	1150	13.5
24130CA/W33	150	250	100	928	1390	20.2
24130CC/W33	150	250	100	928	1390	20
24130MB/W33	150	250	100	928	1390	20.2
24132CA/W33	160	270	109	865	1690	24.6
24132CC/W33	160	270	109	865	1690	24.2
24132MB/W33	160	270	109	865	1690	24.6
24134CA/W33	170	280	109	915	1830	24.8
24134CC/W33	170	280	109	915	1830	24.1
24134MB/W33	170	280	109	915	1830	24.8
24136CA/W33	180	300	118	1020	2030	33
24136CC/W33	180	300	118	1020	2030	32.7
24136MB/W33	180	300	118	1020	2030	33
24138CA/W33	190	320	128	1200	2400	41.9
24138CC/W33	190	320	128	1200	2400	41.5
24138MB/W33	190	320	128	1200	2400	41.9
24140CA/W33	200	340	140	1630	2450	53.5
24140CC/W33	200	340	140	1630	2450	53.1
24140MB/W33	200	340	140	1630	2450	53.5
24144CA/W33	220	370	150	1920	3045	67
24144CC/W33	220	370	150	1920	3045	66.6
24144MB/W33	220	370	150	1920	3045	67
24148CA/W33	240	400	160	1660	3400	79

24148CC/W33	240	400	160	1660	3400	78.6
24148MB/W33	240	400	160	1660	3400	79
24152CA/W33	260	440	180	2100	4350	115
24152CC/W33	260	440	180	2100	4350	114
24152MB/W33	260	440	180	2100	4350	115
24156CA/W33	280	460	180	2220	4750	119
24156CC/W33	280	460	180	2220	4750	118
24156MB/W33	280	460	180	2220	4750	119
24160CA/W33	300	500	200	3400	5700	160
24160CC/W33	300	500	200	3400	5700	159
24160MB/W33	300	500	200	3400	5700	160
24164CA/W33	320	540	218	3850	7300	167
24164CC/W33	320	540	218	3850	7300	166
24164MB/W33	320	540	218	3850	7300	167
24168CA/W33	340	580	243	4600	8250	269
24168CC/W33	340	580	243	4600	8250	268
24168MB/W33	340	580	243	4600	8250	269
24172CA/W33	360	600	243	5600	8400	270
24172CC/W33	360	600	243	5600	8400	269
24172MB/W33	360	600	243	5600	8400	270
24176CA/W33	380	620	243	5800	9650	296
24176MB/W33	380	620	243	5800	9650	296
24180CA/W33	400	650	250	5100	10300	329
24180MB/W33	400	650	250	5100	10300	329
24184CA/W33	420	700	280	5600	11900	447
24184MB/W33	420	700	280	5600	11900	421
24188CA/W33	440	720	280	6000	12000	433
24188MB/W33	440	720	280	6000	12000	433
24192CA/W33	460	760	300	6100	14400	558
24192MB/W33	460	760	300	6100	14400	558
24196CA/W33	480	790	308	7150	14600	616
24196MB/W33	480	790	308	7150	14600	616
241/500CA/W33	500	830	325	8000	16000	669
241/500MB/W33	500	830	325	8000	16000	669
241/530CA/W33	530	870	335	8500	17500	773
241/530MB/W33	530	870	335	8500	17500	773
241/560CA/W33	560	920	355	9400	19600	962
241/560MB/W33	560	920	355	9400	19600	953
241/600CA/W33	600	980	375	8800	21600	1145
241/600MB/W33	600	980	375	8800	21600	1140
241/630	630	1030	400	12500	27200	1440
241/670	670	1090	412	14000	31500	1560

241/710	710	1150	438	15200	32500	1823
241/750	750	1220	475	16000	37000	2236
241/800	800	1280	475	18400	40500	2411
241/850	850	1360	500	20000	45100	2750
241/900	900	1420	515	21000	48500	3400
241/950	950	1500	545	24000	54500	3600
241/1000	1000	1580	580	26500	62200	4350