

Bearing No.	Dimensions(mm)				Basic Load Rating (kN)		Weight (kg)
	d	D	B	T	Cr	Cor	
350620D1	100	190	62.5	125	630	1050	14.9
352220X2	100	180	34	83	445	690	6.51
352220X2-1	100	180	46	111	670	840	11.6
352221X2	105	190	50	117	675	1150	13.7
352221X2-1	105	190	50	118	670	1210	13.8
352122	110	180	42	95	495	900	9.1
352122/YAG	110	180	42	76	495	900	9.06
352222X2	110	200	53	124	680	1150	16.5
352222X2-1	110	200	38	90	550	850	11.1
352222X3-2RS	110	195	57.658	126	570	1170	19.3
3506/119X4-2RS	119.062	195.262	57.15	136.525	570	1170	18.6
30224/DF	120	215	80	87	570	890	13.4
350624-1	120	280	83.5	185	1410	2250	54.5
352024	120	180	38	88	405	785	7.31
352124	120	200	48	110	605	1060	12.6
352224	120	215	58	132	770	1390	19.2
352224X2	120	215	58	132	770	1390	19.1
352224X2D	120	215	58	132	770	1390	19.6
1-7006	130	210	29	64	355	575	8.06
31326/DF	130	280	132	144	1100	1680	40.9
350626D1	130	235	72.5	145	885	1560	24.7
352026X2	130	200	42	95	485	870	9.72
352126	130	210	48	110	605	1070	13.9
352126X2/C9	130	214	48	115.6	605	1070	15.7
352226X2	130	230	64	149	980	1760	27.4
352926X2	130	180	30	70	280	565	4.87
97526/EY	130	230	66.5	149	925	1700	25.6
31328/DF	140	300	70	154	1210	1842	50.3
352028X2	140	210	42	95	500	950	8.36
352128	140	225	50	115	640	1180	15.5
352228X2	140	250	68	157	1140	2080	31.7
352228X3	140	240	57	132	825	1660	24.7
32930/DF	150	210	38	76	455	920	7.99
350630	150	225	45	112	1100	1690	14.1
350630-1	150	270	45	109	710	678	24.5
352130	150	250	60	138	865	1560	25.8
352230X2	150	270	73	169	1270	2330	39.4
352930X2	150	210	36	80	385	795	9.32
352930X2D	150	210	36	80	385	795	9.12

352930X3	150	225	36	79	385	795	11.8
32032T112/DBC345	160	160	112	240	715	1450	16
32232/DBC3	160	290	80	178	1580	2970	48.6
32232/DBC3YA10	160	290	80	210	1580	2970	53.5
350632D1	160	270	70	140	1720	2610	26.7
352032X2	160	240	48	115	745	1330	16.5
352032X2-1	160	240	51	114	715	1450	16.7
352132X2	160	270	70	150	965	1720	28.3
352132X2/HA	160	270	65	140	970	1930	31.8
352132X2/HAC9	160	270	65	140	970	1930	31.8
352132X2/YB4	160	270	70	150	965	1720	28.3
352232X2/YA6	160	290	80	180	1320	2420	46.2
352932X2	160	220	36	82	415	860	8.15
32934/P59DF	170	230	38	76	485	1120	9.31
352034X2	170	260	54	120	755	1550	20.4
352034X2D	170	260	54	120	755	1550	20
352134	170	280	66	150	1070	2000	35.6
352934X2	170	230	36	82	420	890	8.11
370634	170	230	65	65	450	945	6.79
32036X2AT150/DBC1	180	280	63.5	150	940	1810	29.4
350636	180	340	83	180	1700	2860	71.9
350636D1	180	285	54	108	730	1190	23.2
350636D1-1	180	259.5	35	70	440	850	11.3
352036X2	180	280	60	134	940	1810	28.5
352136	180	300	72	164	1200	2350	39.9
352236/YA6	180	320	86	192	1530	2750	60
352236X2/YA6	180	320	86	190	1530	2750	52.4
352936X2	180	250	42	95	505	1060	13
352936X2BD1	180	250	47.5	95	520	1300	13.8
352936X3	180	270	47	109.538	770	1560	19.2
32038T146/DBC220	190	290	64	146	1100	2250	31.6
32538X2/DB	190	260	42	95	605	1450	14.4
32938X2/DB	190	260	45	102	605	1450	14.4
352038X2	190	290	60	134	930	1860	28.8
352138X2	190	320	76	170	1320	2400	52
352138X2-1/HCE	190	320	77	172	1520	2700	53.2
352938X2	190	260	42	95	605	1450	13.3
32040/DF	200	310	70	140	1270	2620	40.2
32040X2/DB	200	310	66	155	995	2080	38.9
352040X2	200	310	66	151	995	2080	38.3
352040X2-1	200	310	66	151	995	2080	38.9
352040X2-2	200	310	66	151	995	2080	38.6

352140	200	340	82	184	1810	3400	63.8
352240	200	360	174	218	2350	4350	93.3
352940X2	200	280	48	110	670	1530	18.1
352940X2-1	200	280	51.5	116	670	1530	18.9
352940X2-2	200	280	55	117	670	1530	20.7
352940X2-3	200	280	48.5	110	670	1530	18.2
352940X3	200	320	48.5	110	890	1560	30.3
350644	220	370	50	120	1130	1910	46.9
352044X2	220	340	72	164	1370	2730	47.7
352044X2-1	220	340	72	165	1530	2980	47.9
352144	220	370	88	195	1680	3200	76.3
352944X2	220	300	48	110	705	1720	21.2
32048/DF	240	360	76	152	1820	3300	54
32048X2AT171/DBCF	240	360	72	171	1350	2900	52.7
352048X2	240	360	72	165	1460	2890	52.8
352148	240	400	95	210	2060	4050	98.1
352948X2	240	320	48	105	665	1590	22.3
352948X2-1	240	320	48	110	665	1590	23.2
352948X2-1/YA1W	240	320	48	110	665	1590	23
352948X2-2	240	320	48	109	675	1550	23.5
370648	240	480	200	220	3340	5400	184
32052/DF	260	400	87	174	1900	4100	82.6
350652-1	260	480		284	3990	7300	211
350652D1	260	430	90	180	1560	2990	87.9
352052X2	260	400	82	186	1750	3750	79.3
352052X2-1	260	400	75	150	1410	2630	60.3
352052X2-3	260	400	72	155	1400	2630	62.2
352152X2/YA6	260	440	100	225	2410	4750	124
352152X2/YA6-1	260	440		144	1820	3400	87.5
352952	260	360	63.5	141	1120	2550	39
352952X2	260	360	60	134	1010	2500	39.7
352952X2-1	260	360	60	133	1010	2500	39.8
352952X2-3	260	360	40	92	630	1370	25.5
370652D	260	420	170	170	1970	4050	88.4
32956X2A/DF	280	380	120	129	1100	2770	44.1
350656	280	470		250	3430	6300	156
352056X2	280	420	82	186	1890	4000	81.5
352056X2-1	280	420	83	188	1890	4000	82.7
352956X2	280	380	60	134	1030	2650	44
370656	280	389.5	92	92	870	1880	33.3
351160	300	500	90	205	2400	4450	141
351160/HAC3	300	500	90	205	2400	4450	141

351160/YA6	300	500	90	205	2400	4450	141
351160X2	300	500	90	200	2300	4450	142
351160X2-1/HCE	300	500	91	203	3000	4950	148
352060X2	300	460	95	210	2240	4800	118
352960X2	300	420	72	160	1670	3614	60.8
352960X2A-1/HCE	300	420	71.5	159	1820	3610	63.6
370660/HCC9	300	560	170	170	3520	3800	197
370660D/HCYAD	300	440	105	105	980	2050	55.5
32964X2AT195/DBCR	320	440	72	195	1650	3900	77.5
350664	320	480	66.5	151	1870	3550	88.9
351164	320	540	100	225	3100	5700	181
352064	320	480	100	220	2540	5750	134
352964X2	320	440	72	160	1650	3900	67.4
370664-1	320	524	185	185	2530	5150	152
370664-2	320	540	160	160	2220	4350	161
351068	340	520	82	180	2060	4100	127
351168	340	580	106	242	3100	6000	235
351168X2	340	580	107	238	3350	6600	237
352968X2	340	460	72	160	1540	4050	71
351072	360	540	82	185	2880	6300	120
351072X2	360	540	70	169	2180	4400	122
351172	360	600	106	242	3410	6800	221
352972X2	360	480	72	160	1640	2240	74.7
370672	360	560	160	160	2350	4640	141
370672-1	360	600	200	200	3000	5830	221
370672-2	360	680	300	330	7200	13300	541
350676	380	660		380	7620	15900	521
351076	380	560	82	190	2880	6300	137
351176	380	620	106	242	3410	6850	250
351976	380	520	65	145	1660	3800	78.8
351976X2	380	520	65	149	1660	3800	82.4
370676	380	560	200	200	2800	6540	166
370676-1	380	565	200	200	2800	6540	170
371076X3D/HCEYAB	380	570	180	180	2910	6150	162
370678	390	570	200	200	2800	7000	166
370678-1	390	568	180	180	2350	5840	156
370678-2	390	590	200	200	2740	6530	201
370678-3	390	590	220	220	2740	6530	250
370678/HCYA3	390	567.5	180	180	2610	6520	157
351080	400	600	90	206	2890	6300	179
351080/HAC3	400	600	90	206	2890	6300	179
351180	400	650	112	255	3630	7400	279

351980/P5	400	540	65	150	1650	3850	84.6
370680X2D/HCYAB	400	650	200	200	3400	6500	252
371080X2	400	600	190	189	2680	5500	174
351084	420	620	90	206	2670	5880	191
351084X2D1	420	620	95	190	2620	5300	166
351184J	420	700	122	275	4430	9150	376
351984	420	560	65	145	1880	4450	87
370684	420	620	200	200	2950	7150	211
373184	420	700	224	224	4540	9480	382
351088	440	650	94	212	3150	6900	212
351188	440	720	122	275	4950	10400	404
370690	450	595	178	178	2950	8130	141
370690-1	450	702	180	180	3120	6940	261
351092	460	680	100	230	3410	7450	253
370692	460	680	180	180	3120	6940	211
370692-1	460	702	180	180	3120	6940	251
371092	460	680	230	230	3910	9400	293
30693/DF	465	845	410	410	9200	19600	1021
351096X2/HCC9	480	700	122	275	4150	9500	309
351996	480	650	78	180	2150	5150	159
3510/500	500	720	100	236	3580	8150	276
3519/500	500	670	78	180	1470	6200	158
3519/500/HC	500	670	78	180	1470	6200	158
3519/500/HCYA5	500	670	78	180	2360	6700	156
3706/500-1	500	730	280	280	6500	15500	421
3706/520	520	660	140	140	2030	5650	116
3706/520-1	520	715	180	180	2850	8290	221
3519/530	530	710	82	190	2670	6300	176
3519/530/YA6	530	710	82	190	2670	6300	176
3706/530	530	730	250	250	5060	13400	323
3510/560	560	820	115	260	2920	5700	434
3519/560	560	750	85	213	3410	8500	232
3706/560	560	820	242	242	5000	11300	426
3706/570/HC	570	750	240	240	3850	11800	287
3706/580/HCEC9YB2	580	830	280	280	6250	16400	546