

Spherical Roller Bearings Non-standard Series
Dalian JinYu HuaYang Industry Co., Ltd.
Tel: 86 411 84580998 / 66005509 / 86 13610855458
E-mail:hunaiwen@wjybearing.com
Website:www.jyhy-group.com

Bearing No.	Dimensions (mm)			Basic Load		Weight(Kg)
	d	D	B	cr	cor	
248/800	800	980	180	4140	12900	295
248/1000F3	1000	1220	218			541
248/1500BK30MB	1500	1820	315			1710
248/1800	1800	2180	375			2884
249/670	670	900	230			423
249/710CA/W33	710	950	243			485
249/800CA/W33	800	1060	258			635
249/950	950	1250	300			1007
249/1000	1000	1320	315			1189
249/1060	1060	1400	335			1425
249/1120CA/W33	1120	1460	335			1494
249/1180	1180	1540	355			1772
249/1320	1320	1720	400			2473
249/1400CA/W33	1400	1820	425			2923
249/1500	1500	1950	450			3552
29256	280	380	60	870	4000	19.1
29260	300	420	73	1050	5050	30
29264	320	440	73	1150	5600	32.5
29272	360	500	85			52
29280	400	540	85	1520	7750	55.1
29296	480	650	103			101
292/500/YA3	500	670	103	2500	11500	100
292/530	530	710	109	2720	14000	122
292/560	560	750	115	3100	16600	131
292/630YA3	630	850	132	3880	20250	231
292/710/YA3	710	950	145	4060	22500	279
29244/YA3	220	300	48	484	910	7.92
29252M/YA3	260	360	60	798	1550	15.7
29268/YA3	340	460	73	1250	5800	31.4
29284/YA3	420	580	95	2060	10000	78.9
29352	260	420	95	1700	6500	48.5
29356	280	440	95	1800	7000	49.1
29360	300	480	109	2050	8000	74.2

29380	400	620	132	3200	12500	150
293/710	710	1060	212			668
29326/YA3	130	225	58	610	2050	8.26
29328/YA3	140	240	60	675	2150	10.4
29330/YA3	150	250	60	750	2350	10.8
29332/YA3	160	270	67	850	2800	14.3
29334/YA3	170	280	67	880	2950	14.8
29336/YA3	180	300	73	1000	3400	19.4
29338/YA3	190	320	78	1150	3850	23.1
29340/YA3	200	340	85	1280	4500	28.5
29348/YA3	240	380	85	1350	5200	35.5
29372/YA3	360	560	122	2550	10000	107
29424	120	250	78	960	3000	19.4
29436	180	360	109			54
29452	260	480	132	2650	9850	105
29460	300	540	145	3360	12000	142
29464	320	580	155	3500	13500	115
29468	340	620	170	4000	15500	218
29472	360	640	170	4300	16800	228
29480	400	710	185	5350	20150	306
294/500	500	870	224	6930	27700	462
294/600	600	1030	258	9500	40500	896
294/630EMB	630	1090	280			1126
294/670	670	1150	290	11000	54500	1214
294/670EM	670	1150	290			1288
294/710F3	710	1220	308			1542
294/750YA3	750	1280	315	14850	63500	1723
294/800	800	1360	335			2060
29420/YA3	100	210	67	680	2000	10.5
29422/YA3	110	230	73	840	2500	13.3
29424/YA3	120	250	78	960	3000	19.5
29424J	120	250	78	960	3000	19.5
29426/YA3	130	270	85	1050	3500	23
29428/YA3	140	280	85	1250	3850	22.7
29428J	140	280	85	1250	3850	22.7
29430/YA3	150	300	90	1280	4250	27.3
29432/YA3	160	320	95	1500	5000	33.3
29434/YA3	170	340	103	1650	5500	40.7
29436/YA3	180	360	109	1800	6000	42.3
29436J	180	360	109	1800	6000	42.3
29438/YA3	190	380	115	2000	6500	60.1
29440/YA3	200	400	122	2200	7500	69.2

29448/YA3	240	440	122	2400	8150	74.5
29488EM/YA3	440	780	206	6200	24800	407
537/530K	530	780	195			315
537/540K	540	745	140			184
537/545	545	730	170			202.5
537/545K1	545	735	100			
537/545K2	545	745	160			210
537/550HK	550	820	230			444
537/560K	560	800	185			291
537/590K	590	800	180			265
537/600K	600	840	180			315
537/630K	630	920	180			385
537/690K	690	1000	200			515
537/695K	695	910	180			291
537/695K1	695	905	140			232
537/695K2	695	910	140			243
537/695K3	695	905	160			268
537/695K4	695	905	190			306
537/700K	700	1000	200			510
537/750K	750	1000	200			474
537/800K	800	1050	210			
537/895K	895	1350	272			1385
537/895K1	895	1265	250			1020
537/900K1	900	1200	230			689
BY537/995K	995	1320	240			
537/955K	955	1270	270			964
537/1195K	1195	1580	260			
537/1200K	1200	1600	290			
537/1500K	1500	1930	330			2440
YPF537/2060K	2060	2430	310			
YPF1537/2070K	2070	2430	310			2600
538/545K	545	720	148			166
538/545K1	545	720	160			175
538/550K	550	750	160			210
538/555K	555	745	130			157
538/555K1	555	745	140			170
538/695K	695	860	145			186
538/695K1	695	880	160			228
538/695K2	695	900	230			370
538/695K3	695	900	140			212
538/700K	700	950	210			
538/700K1	700	950	230			470

538/700K2	700	950	180			374
538/800K	800	1100	250			723
538/800K1	800	1100	280			822
538/800K2	800	1090	230			640
538/800K3	800	1100	300			
538/895K	895	1135	180			524
538/895K1	895	1135	200			499
538/895K2	895	1135	250			624
538/900K	900	1100	160			319
538/995K	995	1240	240			645
538/1000K	1000	1500	400			2445
538/1000K1	1000	1500	360			2205
538/1000K2	1000	1400	270			236
538/1000K3	1000	1400	300			1470
538/1195K	1195	1565	350			1980
538/1200K	1200	1300	280			1140
538/1215K	1215	1450	200			611
538/1295K	1295	1665	300			
538/1400K	1400	1760	350			2020
538/1500K	1500	1850	280			
539/545K	545	725	160			
539/545K1	545	725	180			208
539/545K2	545	725	120			138
539/560K	560	820	160			
539/580K	580	760	130			
539/550K	550	770	160			229
539/690K	690	920	180			309
539/690K1	690	920	240			
539/695K4	695	935	150			291
539/695K5	695	935	200			396
539/695K6	695	950	210			446
539/695K7	695	950	160			317
539/698K	698	950	243			501
539/700K	700	960	180			383
539/700K1	700	910	160			
539/730K	730	980	180			378
539/800K	800	1060	210			474
539/800K1	800	1060	200			453
539/800K2	800	1060	180			406
539/800K3	800	1060	250			618
539/800K4	800	1060	240			593
539/800K5	800	1060	270			663

539/800K6	800	1060	300			
539/880K	880	1100	160			326
539/890K	800	1200	200			637
539/890K1	890	1200	230			735
539/890K2	890	1200	250			
539/895K	895	1140	210			492
539/895K1	895	1135	260			585
539/895K2	895	1180	160			481
539/895K3	895	1190	270			842
539/900K	900	1180	260			774
539/995K	995	1270	270			835
539/995K1	995	1270	300			949
539/1000K	1000	1300	250			870
539/1000K1	1000	1300	300			955
539/1000K2	1000	1350	330			1370
539/1000K3	1000	1280	200			646
539/1000K4	1000	1300	270			948
539/1000K5	1000	1300	240			
539/1020K	1020	1320	240			840
539/1060K	1060	1400	260			
539/1061K	1061	1400	259			
539/1100K	1100	1500	350			
539/1100K1	1100	1500	400			2130
539/1180K	1180	1600	355			
539/1195K	1195	1500	300			1205
539/1195K1	1195	1450	200			
539/1200K	1200	1580	300			1600
539/1250K	1250	1800	290			2320
539/1330K	1330	1600	280			1120
539/1270K	1270	1600	260			
539/1295K	1295	1665	350			1920
539/1300K	1300	1665	280			
539/1400K	1400	1800	340			2050
539/1500K	1500	1900	300			
539/1800K	1800	2200	360			
539/1800K1	1800	2200	400			