

Single Row Cylindrical Roller Bearings
Dalian JinYu HuaYang Industry Co., Ltd.
Tel: 86 411 84580998 / 66005509 / 86 13610855458
E-mail:hunaiwen@wjybearing.com
Website:www.jyhy-group.com

Bearing No.	Dimensions (mm)			Basic Load		Weight(Kg)
	d	D	B	cr	cor	
NJ232M	160	290	48	495	655	14.2
NUP232M	160	290	48	495	655	14.6
N232E	160	290	48	517	695	13.9
NU232E	160	290	48	517	695	14
NU232EQ1	160	290	48	517	695	14.3
NJ232E	160	290	48	517	695	14.3
NUP232E	160	290	48	517	695	14.5
NU2232	160	290	80	688	1000	23.3
NU2232EM	160	290	80	809	1190	24.2
NJ2232E	160	290	80	809	1190	24.7
N332M	160	340	68	754	970	30.8
NU332M	160	340	68	754	970	30.9
NJ332M	160	340	68	754	970	31.5
NU2332EMA	160	340	114	1260	1730	53.9
NU1034M	170	260	42	299	440	8.23
NJ1034M	170	260	42	299	440	8.47
N1034X1M	170	265	42	330	500	7.97
N234M	170	310	52	550	780	18.2
NU234M	170	310	52	550	780	17.9
NU234Q1	170	310	52	550	780	18.1
NJ234M	170	310	52	550	780	19.2
NU234EM	170	310	52	640	870	18.4
NU2234EM	170	310	86	1000	1480	29
NU2234M	170	310	86	875	1400	30.5
NU632M	170	310	108	1070	1490	40.9
N2332M	170	340	114	1120	1610	51.6
NU2332M	170	340	114	1120	1610	54.4
N334M	170	360	72	905	1110	37.3
NU334M	170	360	72	858	1110	37.7
NJ334M	170	360	72	858	1110	38.4
NJ2334M	170	360	120	1280	1850	62.5
NU2334M	170	360	120	1280	1850	61.1
NU2334MA	170	360	120	1280	1850	61.5
NU2334M/C9	170	360	120	1280	1850	61.3

NU1036M	180	280	46	418	565	10.4
N236M	180	320	52	556	785	19.7
NU236M	180	320	52	556	785	19.2
NJ236M	180	320	52	556	785	19.3
NUP236M	180	320	52	556	785	20.5
NU2236M	180	320	86	1050	1580	31.4
NU2236EM	180	320	86	1100	1580	30.3
NJ2236M	180	320	86	1050	1580	31.9
NJ2236EM	180	320	86	1100	1580	31
NUP2236M	180	320	86	1050	1580	32.1
NU3236M/C3	180	320	112	1120	1950	41.6
N336M	180	380	75	990	1260	39.6
NU336M	180	380	75	990	1260	42.8
NJ336M	180	380	75	990	1260	43.6
NJ336EM	180	380	75	1170	1360	42.7
NU336EM	180	380	75	1170	1360	42.1
NJ2336M	180	380	126	1360	1850	72
NU2336M	180	380	126	1360	1850	69.5
NU2938Q1	190	260	42	347	685	6.98
NU1038M	190	290	46	413	640	10.9
NU238M	190	340	55	622	885	21.6
NJ238M	190	340	55	622	885	22
NUP238M	190	340	55	622	885	22.3
NU2238M	190	340	92	1140	1750	38.6
NU3238M/C3	190	340	120	1320	2340	51.2
NJ338M	190	400	78	1040	1370	49.4
NU338M	190	400	78	1040	1370	48.5
N338M	190	400	78	1040	1730	50.2
NU2338EMA	190	400	132	1870	2450	82.8
NU1040M	200	310	51	468	705	14.3
NJ1040M	200	310	51	468	705	14.7
NAOL4040X2	200	310	100	930	2110	30.2
N640M	200	320	48	473	705	14.7
NU3040X3M/C3	200	320	88.9	776	1350	28.7
N240M	200	360	58	688	995	26.8
NU240M	200	360	58	688	995	26.5
NJ240M	200	360	58	688	995	27.1
NJ2240M	200	360	98	996	1600	45.5
NUP2240M	200	360	98	996	1600	46.3
N2240EM	200	360	98	1280	1980	44.9
NU2240EM	200	360	98	1280	1980	42.2

NU1240X2WBM/ HG2	200	360	115	957	1520	42.9
NU5240XPC3	200	360	120.65	1280	2190	57.6
NU340M	200	420	80	1090	1400	56.7
NJ2340M	200	420	138	1650	2510	99
N2340M	200	420	138	1650	2510	94.5
NU3340M	200	420	165	2150	3540	118
NUP3340	200	420	165	2150	3540	121
NU2944Q1	220	300	48	407	755	10.5
NJ2944M	220	300	48	407	750	10.8
NU1044Q1	220	340	56	517	775	19.4
NJ1044M	220	340	56	534	810	19.6
NU1044M	220	340	56	534	810	19.2
NU3044Q1/HA	220	340	90	1060	1820	32
NU3044X3M/C9	220	350	98.4	1280	2090	38.1
N244M	220	400	65	836	1220	36.7
NJ244M	220	400	65	836	1220	35.4
NU244M	220	400	65	836	1220	35
NU2244M	220	400	108	1220	1990	62.2
NJ2244M	220	400	108	1220	1990	63.3
NU2244EM/HC	220	400	108	1490	2280	62.8
N2244M	220	400	108	1440	1990	61.8
NU344M	220	460	88	1280	1730	73.4
NU2344M/C3	220	460	145	2040	2780	12
NU2344EM	220	460	145	2170	3270	114
NU2344M/C9	220	460	145	2170	3270	114
N2344EM	220	460	145	2300	3360	114
NU2344EMA	220	460	145	2230	3250	116
NU1048M	240	360	56	512	775	20.5
NJ1048M	240	360	56	512	775	21.1
NU1048Q1	240	360	56	545	855	21.2
NU2148X3M	240	390	108	1210	2060	51.2
NU248M	240	440	72	1050	1540	46.9
NJ248M	240	440	72	1050	1540	49.6
NU2248MA	240	440	120	1490	2450	84.8
NU5248	240	440	146	2240	3820	104
N348M	240	500	95	1530	2120	96.3
NU348M	240	500	95	1530	2120	96.3
NU2348MA	240	500	155	2190	3360	155
NF1952M	260	360	46	445	785	14.9
NU1052M	260	400	65	688	1090	30.2
NUP1052M	260	400	65	688	1090	37.2

NJ1052M	260	400	65	688	1090	36.3
NU2052EM	260	400	82	1080	1880	40.1
NU3052M	260	400	104	1350	2340	49.5
NU3152M	260	440	144	2050	3450	98
NU252M	260	480	80	1220	1800	67.1
NJ252M	260	480	80	1220	1800	68.5
NUP252M	260	480	80	1220	1800	70
NU2252	260	480	130	1780	2910	106
NU2252MA	260	480	130	1750	2910	107
N2252M	260	480	130	1780	2910	105
NJ2252M	260	480	130	1780	2910	108
NU352M	260	540	102	1880	2750	126
NU2352M	260	540	165	3150	4500	188
NU1956M	280	380	46	473	865	15.5
NF1956M	280	380	46	325	533	16.9
NU1056M	280	420	65	704	1140	30.9
NJ1056M	280	420	65	704	1140	32.2
NU2056M	280	420	82	1190	2170	39.5
NB4056X3M	280	440	135	1880	3400	75.4
NU3156M	280	460	146	2250	3900	106
NJ256M	280	500	80	1100	1750	71.5
NU256M	280	500	80	1100	1750	70
NU2256E	280	500	130	2090	3270	116
NU3256X2/C9YA1	280	500	165.1	2820	4900	142
NU356M	280	580	108	1880	2660	147
NU2356M	280	580	175	2560	4250	232
NJ2860M	300	380	48	450	1000	15.5
NU2860M	300	380	48	450	1000	14.5
N3860M/HG2	300	380	60	468	990	16.6
NJ1060X2M	300	460	57	803	1340	36.5
NJ1060M	300	460	74	935	1510	45.1
NU1060M	300	460	74	935	1510	44.1
NU1060M/HA	300	460	74	935	1510	44.1
NU2060M	300	460	95	1470	2800	60
NU3060M	300	460	118	1470	2700	72.5
NU260M	300	540	85	1510	2270	86.9
NU2260M	300	540	140	2080	3450	146
NU360M	300	620	109	2310	3300	166
NU2360M	300	620	185	3860	5850	271
NU2864M	320	400	48	490	1050	15
NU1964M	320	440	56	638	1130	24.7
NJ1064M	320	480	74	957	1580	47.8

NU1064M	320	480	74	957	1580	48.2
NU1064KM/C9	320	480	74	957	1580	46.3
NUP1064M	320	480	74	957	1580	49.1
NU2064M	320	480	95	1380	2650	63
NU3064M	320	480	121	1540	2910	78.1
NU3164M	320	540	176	3050	5450	176
NU264M	320	580	92	1530	2450	116
NU2264	320	580	150	2480	4150	181
NJ2868M	340	420	48	490	1150	15.5
NU1968X1M	340	440	56	690	1380	22.3
NU1968M	340	460	56	700	1400	28.3
NU2968M	340	460	72	785	1650	36.2
NU1068M	340	520	82	1160	1910	65
NU3168E	340	580	190	3300	5900	211
NU2268M	340	620	165	2600	4550	225
NJ2972E	360	480	72	1220	2300	38.1
NU1072MA	360	540	82	1190	2000	66.2
NU1072M	360	540	82	1080	2000	65.9
NF1072M	360	540	82	1180	2000	67.7
NU2072M	360	540	106	1890	3560	89.5
NU3072M	360	540	134	2060	4050	112
NU3172	360	600	192	3520	6500	219
NU2272M	360	650	170	3150	5400	262
NU2372	360	750	224	5390	8650	480
NU1876M	380	480	46	525	1050	23.5
NUP1876M	380	480	46	525	1050	24
NU1076M	380	560	82	1220	2090	71
NU2076EM	380	560	106	1930	3750	93
NU3076EM	380	560	135	2250	4700	116
NU2276EM	380	680	175	3050	5500	276
NU1880M	400	500	46	565	1150	21.2
NU1980M	400	540	65	900	1750	42
NU2980EM	400	540	82	1350	2850	57.8
NU2980M	400	540	82	1250	2510	55.2
NF2980M	400	540	82	1250	2510	52.6
NUP1080M	400	600	90	1330	2210	93.6
NU1080M	400	600	90	1330	2210	92.5
NJ1080	400	600	90	1440	2470	90.6
NU2080EM	400	600	118	2150	4800	122
NU3080M	400	600	148	2330	4550	153
NU2180M	400	650	145	2920	5190	197
NU3180M	400	650	200	3760	7170	274

NU1884	420	520	46	605	1270	20.7
NJ3884M	420	520	75	900	2250	33.3
NJ1984MA	420	560	65	1080	1950	46
NU2984M	420	560	82	1180	2600	59.5
NU1084M/C3	420	620	90	1440	2490	98
NU2084EM	420	620	118	2400	4750	127
NF3084EM	420	620	150	2850	5450	162
NU3184EM	420	700	224	4950	8950	368
NU2888EM	440	540	60	790	1900	34.5
NU1988M	440	600	74	1010	1980	65
NJ2988EM	440	600	95	1670	3550	83.5
NUP3988EM	440	600	118	1940	4250	106
NU1088M	440	650	94	1570	2430	102
NU2088EM	440	650	122	2450	5000	146
N1188	440	720	122	2850	4300	207
NU3188	440	720	226	5230	9800	374
N1892M	460	580	56	795	1720	37.2
NJ2892EM	460	580	72	1030	2350	48.7
NJ2992	460	620	95	1640	3500	83.4
NUP2992	460	620	95	1670	1600	85
NU2992	460	620	95	1670	1600	98.3
NU1092M	460	680	100	1690	2630	111
NU2092EM	460	680	128	2700	5450	166
NU3092M	460	680	163	2970	6150	211
NU3092EM	460	680	163	3300	6340	211
NU3192	460	760	240	5450	10400	467
NU3192MA	460	760	240	5450	10400	481
NU1292	460	830	165	4200	6800	405
NU2292M	460	830	212	4850	8000	515
NU1896M	480	600	56	750	1620	37.5
NJ2896EM	480	600	72	1050	2400	46.5
NU1096M	480	700	100	1600	2970	128
NU2096MA	480	700	128	2600	5250	176
NU3196EM	480	790	248	5650	10700	495
NF18/500EM	500	620	56	795	1700	38.5
NU28/500EM	500	620	72	1130	2670	48.5
NU19/500EM	500	670	78	1160	2350	80
NU29/500	500	670	100	1940	4300	101
NU29/500F3	500	670	100	1940	4300	102
N39/500EM	500	670	128	2250	5150	128
NJ10/500	500	720	100	1680	3050	136
NU20/500EM	500	720	128	2850	5900	175

NU30/500	500	720	167	3210	6970	232
NU31/500	500	830	264	6250	12200	602
NU12/500M	500	920	185	5050	8450	585
NF28/530	530	650	72	1170	2890	52.2
NJ19/530EM	530	710	82	1500	2980	94.5
NUP29/530	530	710	106	1990	4550	125
NU10/530M	530	780	112	2200	4050	187
NU20/530EM	530	780	145	3650	7360	252
NU31/530EM	530	870	272	7250	14500	663
NJ18/560M	560	680	56	810	1830	42.5
NJ18/560MA	560	680	56	810	1830	44.2
NU19/560EM	560	750	85	1630	3200	108
NJ29/560	560	750	112	2420	5450	153
N29/560	560	750	112	2490	5600	138
NU10/560M	560	820	115	2250	4200	215
NU20/560EM	560	820	150	3650	7600	289
NU12/560MA	560	1030	206	6850	11000	809
NU18/600EM	600	730	60	860	2000	49.3
NU28/600EM	600	730	78	1250	3350	68.5
NU19/600EM	600	800	90	1900	3800	128
NUP19/600EM	600	800	90	1900	3800	135
NF19/600EM	600	800	90	1900	3800	130
NU29/600E	600	800	118	2900	6550	163
NU6/600	600	830	150	3410	7450	237
NU10/600	600	870	118	2840	5250	234
NU20/600EM	600	870	155	4180	8000	320
NU30/600E	600	870	200	5390	11000	412
NFP6/620Q1	620	780	102	1950	4800	124
N620/780	620	780	102	1950	4800	124
NJ18/630EM	630	780	69	1050	2500	74.2
N28/630M	630	780	88	1800	4500	95.6
NU28/630M	630	780	88	1800	4500	96
N38/630M	630	780	112	2150	5750	118
NF38/630M	630	780	112	2150	5750	120
NU19/630M	630	850	100	1980	4000	158
NJ19/630	630	850	100	1980	4000	167
NU19/630EM	630	850	100	2150	4250	160
NU29/630EM	630	850	128	3250	7250	214
NJ29/630EM	630	850	128	3250	7250	222
NU10/630EM	630	920	128	3400	6250	284
NUP10/630EM	630	920	128	3400	6250	284
NU20/630EM	630	920	170	4700	9500	395

NU30/630	630	920	212	6450	14500	485
NUP6/660.4Q1/C9	660.4	863.6	107.95	3000	6050	179
NFP6/666X4Q1/C	666.75	838.2	114.3	2870	6850	160
NJ18/670	670	820	69	1230	2800	83.8
NJ38/670Q1	670	820	112	2560	7000	133
NUP19/670	670	900	103	2420	4900	193
NU19/670	670	900	103	2420	4900	193
NU10/670	670	980	136	3700	6800	344
NU20/670E	670	980	180	5400	11500	477
N30/670	670	980	230	6930	15000	594
NU30/670M	670	980	230	6500	14500	596
NU6/700	700	930	160	3520	8500	306
NUP6/700	700	930	160	3520	8500	316
N28/710EM	710	870	95	1880	4950	128
N28/710X3/W33	710	900	106	1980	5200	168
NU19/710	710	950	106	2590	5500	210
NU29/710EM	710	950	140	3650	8250	294
NU10/710EM	710	1030	140	4550	8400	420
NU20/710EM	710	1030	185	5800	12000	535
NUP6/711.2M/C9	711.2	863.6	107.95	3300	6700	136
NFP6/723.8Q1/C9	723.8	908.05	120.65	3350	8300	197
NU18/750M	750	920	78	1450	3500	105
N28/750	750	920	100	2160	5500	145
NU19/750X2/C9	750	1000	100	3030	6500	220
NF19/750EM	750	1000	112	2750	5750	264
NU10/750EM	750	1090	150	4500	8500	492
NU20/750EM	750	1090	195	6700	14500	634
NJ18/800EM	800	980	82	1700	4200	144
NU10/800EM	800	1150	155	5400	10500	565
NU20/800EM	800	1150	200	6900	14500	710
NU20/800MA/HC	800	1150	200	7910	14600	725
NUP6/812X4	812.8	1016	139.7	4150	10500	277
N6/820	820	990	72	1180	2960	128
NU28/80M	850	1030	106	2050	5900	192
NU19/850EM	850	1120	118	3050	6900	325
NJ19/850	850	1120	118	2930	7000	326
N29/850EM	850	1120	155	4500	11300	428
NU18/900M	900	1090	85	1900	4850	172
NU28/900M	900	1090	112	2650	7150	234
NU19/900EM	900	1180	122	4050	8700	378
NU29/900EM	900	1180	165	5750	13500	565
NU29/950	950	1250	175	5560	13000	596

NUP29/950	950	1250	175	5670	13400	616
NU18/1000M	1000	1220	100	2650	6550	264
NJ28/1000EM	1000	1220	128	3600	9500	345
NU29/1000E	1000	1320	185	6700	17000	705
N28/1060M	1060	1280	128	3550	10500	355
NU29/1060EM	1060	1400	195	7200	17000	875
NU39/1060EM	1060	1400	250	9000	23500	1060
N30/1060	1060	1500	325	12500	32500	1880
NJ18/1120EM	1120	1360	106	3350	8600	330
NJ18/1180EM	1180	1420	106	2950	7750	354
NU29/1180EM	1180	1540	206	8950	21500	1046
N39/1180M	1180	1540	272	11000	28500	1350
NU6/1200/C91	1200	1520	185	6220	17000	825
NU6/1200/C9	1200	1520	185	6220	17000	825
NU18/1250C9	1250	1500	112	3630	9550	386
N20/1250M	1250	1750	290	12500	29500	2310
NU18/1320M	1320	1600	122	3650	9500	525
NU19/1320	1320	1720	175	7920	19500	1110
NU29/1320E	1320	1720	230	10900	29000	1510
N39/1320M	1320	1720	300	12600	32500	1890
N30/1320V	1320	1850	400	21200	52800	3540
N28/1400EM	1400	1700	175	6300	1750	858
NU18/1500/HC	1500	1820	140	6220	17300	773
NU18/1700EM	1700	2060	160	6950	18500	1156
N18/1900	1900	2300	175	8150	23700	1480